

Training

- [13/11/2025](#)

13/11/2025

Web server Installation

1. Go to caddy <https://caddyserver.com/>
2. Select Window amd64 -> Download
3. Install PHP <https://windows.php.net/download/>
4. Select VS17 x64 Non Thread Safe -> zip -> Download
5. Create PHP File web/www/index.php

```
<?php phpinfo() ?>
```

6. Create Config File -> Caddyfile

```
# Caddyfile
import snippets/*

# Use the "yii2-app" snippet for our site:
import yii-app localhost C:\Projects\webapp\portalv2\web

## reverse proxy example
#domain.my {
    [ #tls C:\caddy\ssl\2025\bundle.crt C:\caddy\ssl\2025\site.key

    [ #reverse_proxy localhost:3000
#}

## redirect old domain to new domain example
#domain.my {
    [ #redir https://domain.my/
#}
```

7. Create Snippet /snippets/yii-app

```

#/snippets/yii-app
# yii-app
# {args.0} represents the root url of the app. Example domain.com.
# {args.1} represents the root path to the app. Example C:\path

(yii-app) {
    {args[0]} {
        # Resolve the root directory for the app
        root * {args[1]}\www

        # Provide Zstd and Gzip compression
        encode zstd gzip

    }

    ##tls C:\caddy\ssl\2025\bundle.crt C:\caddy\ssl\2025\site.key

    ##header {
        ## # HIDE SERVER INFO
        ##-server

        ## # Enable HTTP caching
        ##Cache-Control "no-store"

        ## #HSTS
        ##Strict-Transport-Security "max-age=63072000; includeSubDomains; preload"

        ## #CSP
        ##content-security-policy "default-src 'self'; script-src 'self' 'unsafe-inline' 'unsafe-eval'
        blob: *; img-src 'self' data: *; style-src 'self' 'unsafe-inline' *; connect-src 'self' *;
        font-src 'self' data: *; frame-src 'self' *; object-src 'none'; media-src 'self' *"
        ##permissions-policy "geolocation=(),midi=(),sync-
        xhr=(),microphone=(),camera=(),magnetometer=(),gyroscope=(),fullscreen=(self),payment=()"

        ##x-content-type-options "nosniff"
        ##x-xss-protection "1; mode=block"
        ##x-frame-options "SAMEORIGIN"
        ##Referrer-Policy "strict-origin-when-cross-origin"

        ##Set-Cookie (.* ) "$1; SameSite=None; Secure"

        ##defer

```

```
    }
```

```
        # Modify the Set-Cookie header to add secure flags
```

```
        header >Set-Cookie (.*?) "{http.response.header.Set-Cookie[0]}; HttpOnly; Secure; SameSite=Lax"
```

```
    @static {
```

```
        file
```

```
        path *.ico *.css *.js *.gif *.webp *.avif *.jpg *.jpeg *.png *.svg *.woff *.woff2
```

```
    }
```

```
    handle /* {
```

```
        #respond {args[1]}\www
```

```
        @indexFiles file {
```

```
            try_files {path} {path}/index.php index.php
```

```
            try_files {path} {path}/index.php
```

```
            split_path .php
```

```
        }
```

```
        rewrite @indexFiles {http.matchers.file.relative}
```

```
    }
```

```
    handle /admin/* {
```

```
        #respond {args[1]}\admin\www
```

```
        @indexFiles2 file {
```

```
            try_files {path} {path}/admin/index.php /admin/index.php
```

```
            try_files {path} {path}/admin/index.php
```

```
            split_path .php
```

```
        }
```

```
        rewrite @indexFiles2 {http.matchers.file.relative}
```

```
    }
```

```
        # redirect my to / from google
```

```
        #redir /my/ /
```

```

        #forbid php from accessed
        @not_no_php {
            not path /assets/*
            path *.php
        }

        @blocked {
        path /assets/*.php
        }

        respond @blocked 403

    php_fastcgi @not_no_php 127.0.0.1:9001 {
        env front_controller_active true
        resolve_root_symlink
        dial_timeout 60s
        read_timeout 300s
        write_timeout 300s
    }

    log {
        output file access.log
    }

    # Allow caddy to serve static files
    file_server

    @dotFiles {
        path */.*
        not path /.well-known/*
    }
}

```

7. Run as service (optional)

```
sc.exe create caddy start= auto binPath= "YOURPATH\caddy.exe run"
```

8. Run Php

```
cd YOUR/PHP/PATH
```

```
.\php-cgi.exe -c .\php.ini-development -b 127.0.0.1:9001
```

9. Check if php running on port

```
netstat -an | findstr 9001
```

10. add repo `https://gitlab.com/allif.ahmad92/portalv2-dynaweb`

- make sure git is install else go top <https://git-scm.com/>
- rename web to web_

```
git clone https://gitlab.com/allif.ahmad92/portalv2-dynaweb.git web
```

11. Install Composer <https://getcomposer.org/download/>

- select php path
- run composer install

```
composer install --ignore-platform-reqs
```

12. Download Mysql <https://dev.mysql.com/downloads/file/?id=546163>